

Unveiling Dark Matter: A Comprehensive Review of Theoretical and Observational Advances

Diriba Gonfa Tolasa* 

Assosa University College of Natural and Computational Science, Department of physics, Assosa, Ethiopia

Citation: Tolasa DG. Unveiling Dark Matter: A Comprehensive Review of Theoretical and Observational Advances. *Int J Cur Res Sci Eng Tech* 2025; 8(1), 263-268. DOI: doi.org/10.30967/IJCRSET/Diriba-Gonfa-Tolasa/175

Received: 08 April, 2025; **Accepted:** 14 April, 2025; **Published:** 16 April, 2025

***Corresponding author:** Diriba Gonfa Tolasa, Assosa university College of Natural and Computational Science, Department of physics, Assosa, Ethiopia Email: dgonfa2009@gmail.com

Copyright: © 2025 Tolasa DG., This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

ABSTRACT

Dark matter constitutes a significant yet enigmatic component of the universe, accounting for approximately 27% of its total mass-energy content. Despite its pervasive influence on cosmic structures and dynamics, the nature of dark matter remains one of the most profound mysteries in modern astrophysics and cosmology. This comprehensive review synthesizes recent theoretical advancements, observational evidence, and experimental efforts aimed at unraveling the complexities surrounding dark matter. The historical context of dark matter research is traced back to the early 20th century, highlighting pivotal contributions such as Fritz Zwicky's proposal of "dunkle Materie" to explain discrepancies in galaxy cluster dynamics. The review explores a diverse array of theoretical frameworks, including Weakly Interacting Massive Particles (WIMPs), axions, sterile neutrinos, and primordial black holes, each offering unique insights into the potential composition of dark matter. Observationally, the existence of dark matter is inferred from various astrophysical phenomena, including galactic rotation curves, gravitational lensing, and cosmic microwave background (CMB) anisotropies. These observations collectively provide compelling evidence for the presence of unseen mass influencing the motion of galaxies and the large-scale structure of the universe. Furthermore, the review delves into the experimental landscape, detailing direct detection experiments that seek to identify dark matter interactions, as well as indirect detection methods that aim to observe the byproducts of dark matter annihilation or decay. Emerging paradigms, such as self-interacting dark matter (SIDM) and axion-like particles (ALPs), are also discussed, reflecting the evolving nature of dark matter research. The interplay between theoretical predictions and experimental findings continues to drive progress in this field, offering tantalizing prospects for future discoveries. This review aims to provide a comprehensive synthesis of the current state of dark matter research, highlighting the interdisciplinary efforts that are essential for advancing our understanding of this elusive cosmic component. By integrating theoretical insights, observational data, and experimental pursuits, this work contributes to the ongoing quest to unveil the mysteries of dark matter, ultimately enhancing our comprehension of the universe's fundamental structure and dynamics.

Keywords: Dark matter; Astrophysics; Cosmology; Particle physics; Galactic dynamics; Observational astronomy; Theoretical physics; Weakly interacting

Introduction

Dark Matter remains one of the most captivating puzzles in modern astrophysics and cosmology, a silent orchestrator

shaping the cosmic symphony from the depths of space to the intricacies of galactic dynamics. Its enigmatic presence, inferred from gravitational effects on the large-scale structure of the

universe, challenges the understanding of fundamental physics and the very fabric of reality. This literature review, embarks on a meticulous exploration of the vast expanse of scholarly works dedicated to unravelling the mysteries of dark matter. The journey traverses the historical milestones, theoretical frameworks, observational techniques, and experimental endeavors that collectively constitute the rich tapestry of dark matter research. The origins of dark matter theory can be traced back to the pioneering work of Fritz Zwicky in the 1930s, who first proposed the existence of unseen "dark Material" to account for discrepancies in the velocities of galaxies within galaxy clusters. Since then, the quest to unveil the nature of dark matter has evolved into a multifaceted endeavor, encompassing a diverse array of theoretical paradigms and observational methodologies. Theoretical models of dark matter span a wide spectrum, from the traditional candidates like Weakly Interacting Massive Particles (WIMPs) to more exotic possibilities such as axions, sterile neutrinos, and primordial black holes. It surveys the landscape of dark matter theories, evaluating their strengths, weaknesses, and implications for particle physics and cosmology. On the observational front, a plethora of astrophysical phenomena provides indirect evidence for the existence of dark matter, including the rotation curves of galaxies, the dynamics of galaxy clusters, and the large-scale distribution of cosmic structures. It reviews the observational constraints on dark matter, highlighting the pivotal role of cosmological surveys, gravitational lensing studies, and cosmic microwave background measurements in shaping the current understanding.

Furthermore, it delves into the experimental efforts aimed at directly detecting dark matter particles, from underground detectors searching for rare interactions to space-based telescopes probing the annihilation or decay signatures of dark matter in astrophysical environments. It examines technological innovations and methodological advancements driving the forefront of dark matter detection experiments, shedding light on the challenges and prospects of this elusive quest.

As it navigates through the labyrinthine landscape of dark matter research, it confronts the unresolved questions and tantalizing prospects that continue to fuel scientific inquiry. From the search for new particles beyond the Standard Model to the quest for a unified theory of gravity and quantum mechanics, the study of dark matter offers a compelling window into the frontiers of theoretical physics and observational astronomy. This literature review endeavors to provide a comprehensive synthesis of the current state of dark matter research, synthesizing the collective wisdom of past and present investigations to offer insights into one of the most profound mysteries of the universe.

Theoretical Foundations of Dark Matter

Dark matter, though invisible and elusive, exerts a gravitational influence felt throughout the cosmos. Understanding its nature requires delving into theoretical frameworks that extend beyond the known realms of particle physics and cosmology. Here, it explores the key theoretical foundations of dark matter. Weakly Interacting Massive Particles (WIMPs) represent one of the most widely studied classes of dark matter candidates. Predicted in various extensions of the Standard Model of particle physics, WIMPs are hypothesized to interact weakly with ordinary matter while being abundant enough to constitute the missing mass in the universe^{1,2}. Axions, originally proposed to solve the strong

CP problem, have emerged as another compelling candidate for dark matter. These hypothetical particles are exceptionally light and weakly interacting, making them challenging to detect experimentally. However, they have garnered significant attention due to their potential to explain the elusive nature of dark matter^{3,4}. Sterile neutrinos, unlike their standard counterparts, do not participate in the weak nuclear interactions. Proposed as dark matter candidates, sterile neutrinos could provide a solution to the puzzle of missing mass in the universe. Their existence and properties have been extensively studied in the context of cosmology and particle physics^{5,6}. Primordial black holes offer an alternative theoretical paradigm for dark matter. These hypothetical objects, formed in the early universe through gravitational collapse of over dense regions, could constitute a significant fraction of the dark matter. Observational constraints from gravitational lensing and other astrophysical phenomena provide insights into their possible abundance^{7,8}. These theoretical frameworks represent just a fraction of the diverse ideas proposed to explain the nature of dark matter. The interplay between theory and experiment continues to drive progress in this field, as physicists strive to unlock the mysteries of the invisible universe.

Observational Evidences

While dark matter itself remains elusive, its presence is inferred from a wealth of observational evidence spanning diverse astrophysical phenomena. Here, it examines key observational signatures that support the existence of dark matter.

Galactic rotation curves

One of the earliest pieces of evidence for dark matter emerged from observations of galactic rotation curves. Instead of declining with increasing distance from the galactic center as predicted by Newtonian gravity, the velocities of stars and gas in galaxies remain roughly constant, indicating the presence of unseen mass distributed throughout the galaxy^{9,10}.

Gravitational lensing

Gravitational lensing, the bending of light rays by the gravitational field of massive objects, provides another compelling line of evidence for dark matter. The distortion of background galaxies' shapes and the formation of multiple images around massive galaxy clusters reveal the presence of unseen mass concentrations, consistent with the distribution of dark matter predicted by cosmological simulations^{11,12}.

Cosmic Microwave Background (CMB) anisotropies

The cosmic microwave background, relic radiation from the early universe, carries imprints of primordial density fluctuations that have evolved over cosmic time. Observations of CMB anisotropies, such as temperature fluctuations and polarization patterns, constrain the total amount of matter in the universe, with dark matter comprising a significant fraction of the cosmic mass-energy density^{13,14}.

Large-scale structure

The large-scale distribution of galaxies and cosmic structures offers further evidence for the presence of dark matter. Surveys of galaxy redshifts and galaxy clustering patterns reveal filamentary structures, cosmic voids, and galaxy clusters that trace the underlying dark matter distribution, providing insights into the gravitational dynamics of cosmic evolution (15; 16).

Galaxy cluster dynamics

Observations of galaxy clusters, the largest gravitationally bound structures in the universe, provide constraints on dark matter properties and distribution. Measurements of galaxy cluster masses from X-ray emission, gravitational lensing, and galaxy dynamics indicate the presence of significant dark matter halos surrounding the luminous galaxies, outweighing the visible matter by a substantial margin^{17,18}.

These observational signatures collectively paint a compelling picture of dark matter's existence and influence on the cosmos, providing crucial insights into the underlying structure and dynamics of the universe.

Experimental Pursuits

Experimental efforts aimed at directly detecting dark matter particles span a wide range of approaches, from underground detectors searching for rare interactions to space-based telescopes probing the annihilation or decay signatures of dark matter in astrophysical environments. Here, it explores some of the key experimental pursuits in the quest to uncover the nature of dark matter.

Direct detection experiments

Direct detection experiments aim to observe the rare interactions between dark matter particles and ordinary matter. These experiments typically use sensitive detectors located deep underground to shield from cosmic rays and other background sources. They search for signals such as nuclear recoils or electron/ion emissions resulting from the scattering of dark matter particles off target nuclei. Examples include the Cryogenic Dark Matter Search (CDMS), XENON, and DAMA/LIBRA experiments^{19,20}.

Indirect detection experiments

Indirect detection experiments seek to detect the products of dark matter annihilation or decay in astrophysical environments. These experiments often involve observing high-energy particles, gamma rays, or neutrinos resulting from the interactions of dark matter particles in regions with high dark matter density, such as the centers of galaxies or galaxy clusters. Examples include the Fermi Gamma-ray Space Telescope, the Ice Cube Neutrino Observatory, and ground-based gamma-ray observatories^{21,22}.

Collider experiments

Collider experiments aim to produce dark matter particles by colliding high-energy particles and studying the resulting collision products. While direct detection of dark matter at colliders is challenging due to its weak interactions, these experiments can indirectly probe dark matter through missing energy signatures or searches for exotic decay channels. Examples include experiments at the Large Hadron Collider (LHC) and future colliders such as the proposed International Linear Collider (ILC)^{23,24}.

Neutrino experiments

Neutrino experiments offer another avenue for indirectly probing dark matter interactions. Neutrinos, like dark matter particles, interact weakly with ordinary matter and are produced in astrophysical environments where dark matter is expected to be abundant. By studying neutrino properties and interactions,

researchers can place constraints on dark matter models and search for indirect signatures of dark matter interactions. Examples include experiments such as Super-Kamiokande and the Sudbury Neutrino Observatory (SNO)^{25,26}.

Cosmic Microwave Background (CMB) experiments

Cosmic Microwave Background (CMB) experiments can indirectly probe dark matter through its effects on the cosmic microwave background radiation. By measuring subtle imprints in the CMB temperature and polarization patterns, researchers can infer properties of dark matter particles, such as their mass and annihilation cross-section. Examples include experiments such as the Wilkinson Microwave Anisotropy Probe (WMAP) and the Planck satellite mission^{27,28}.

These experimental pursuits represent just a fraction of the diverse approaches being employed in the quest to unlock the mysteries of dark matter. The interplay between theory and experiment continue to drive progress in this field, offering tantalizing prospects for shedding light on one of the universe's most profound mysteries.

Astrophysical Probes

Astrophysical observations provide crucial insights into the distribution, dynamics, and properties of dark matter across a wide range of cosmic scales. Here, it explores some of the key astrophysical probes used to study dark matter.

Galaxy rotation curves

Observations of galaxy rotation curves reveal the distribution of mass within galaxies, providing evidence for the presence of dark matter halos surrounding luminous matter. These curves typically exhibit flat or slowly rising velocity profiles at large distances from the galactic center, indicating the presence of significant amounts of unseen mass^{9,10}.

Galaxy cluster dynamics

Galaxy clusters, the largest gravitationally bound structures in the universe, offer valuable insights into the distribution and properties of dark matter on cosmological scales. Observations of galaxy cluster dynamics, including the motion of member galaxies and the hot X-ray-emitting gas, provide evidence for the presence of massive dark matter halos that dominate the gravitational potential of clusters^{17,18}.

Gravitational lensing

Gravitational lensing phenomena, such as strong and weak lensing, provide direct probes of the gravitational potential of dark matter structures. The bending of light rays by the gravitational field of dark matter concentrations distorts the shapes and magnifies the images of background galaxies, allowing astronomers to map the distribution of dark matter in the universe^{11,12}.

Cosmic Microwave Background (CMB) anisotropies

The cosmic microwave background (CMB) radiation preserves imprints of density fluctuations in the early universe, offering insights into the distribution of dark matter on large scales. Measurements of CMB anisotropies, including temperature fluctuations and polarization patterns, constrain the total amount of matter in the universe and provide valuable information about the properties of dark matter^{27,28}.

Large-scale structure surveys

Surveys of the large-scale distribution of galaxies and cosmic structures provide statistical constraints on the properties of dark matter and the underlying cosmological model. By mapping the spatial distribution of galaxies and measuring their clustering patterns, astronomers can infer the cosmic web of dark matter filaments and voids, shedding light on the hierarchical growth of cosmic structures^{15,16}.

These astrophysical probes collectively offer a multifaceted view of dark matter, providing crucial observational constraints that complement theoretical models and laboratory experiments, and advancing the understanding of the fundamental nature of the universe.

Emerging Paradigms

As the understanding of dark matter evolves, new theoretical frameworks and observational techniques continue to emerge, reshaping the perspective on this enigmatic cosmic component. Here, it explores some of the emerging paradigms and directions in dark matter research.

Self-Interacting Dark Matter (SIDM)

Self-interacting dark matter (SIDM) posits that dark matter particles can interact with each other via non-gravitational forces, leading to observable effects on small scales. SIDM offers a potential solution to discrepancies between observations and predictions in the inner regions of dwarf galaxies and galaxy clusters. Studies using numerical simulations and cosmological observations provide insights into the properties and implications of SIDM^{29,30}.

Dark matter substructure

The hierarchical nature of structure formation in the universe predicts the presence of substructure within dark matter halos, consisting of clumps, streams, and tidal debris. Observations of stellar streams, satellite galaxies, and gravitational lensing phenomena offer opportunities to probe the abundance, distribution, and properties of dark matter substructure. These studies provide valuable constraints on dark matter particle properties and cosmological models^{31,32}.

Axion-Like Particles (ALPs)

Axion-like particles (ALPs) represent a class of hypothetical particles that arise in extensions of the Standard Model of particle physics. ALPs are characterized by their extremely low mass and weak interactions, making them challenging to detect directly. Astrophysical observations, including searches for ALP-induced effects on stellar evolution, gamma-ray spectra, and cosmic magnetic fields, offer avenues for probing the properties of ALPs and their potential role as dark matter candidates^{33,4}.

Dark photons

Dark photons, also known as hidden sector photons, are hypothetical particles that arise in models featuring an additional $U(1)$ gauge symmetry. These particles could interact with dark matter and ordinary matter via kinetic mixing with the Standard Model photon. Experimental searches for dark photons involve precision measurements of electromagnetic phenomena, high-energy collider experiments, and astrophysical observations,

providing insights into the nature of dark matter and the hidden sector^{34,35}.

Primordial black hole dark matter

Primordial black holes (PBHs) represent an alternative paradigm for dark matter, formed in the early universe through gravitational collapse of over dense regions. PBHs could span a wide range of masses, from microscopic to stellar, and their abundance depends on the initial conditions of the early universe. Observational constraints from gravitational lensing, microlensing surveys, and other astrophysical phenomena offer insights into the possible contributions of PBHs to the dark matter density^{36,8}.

These emerging paradigms represent active areas of research in the quest to unravel the mysteries of dark matter, offering new avenues for theoretical exploration and experimental discovery.

Conclusion

The quest to understand dark matter represents one of the most significant challenges in contemporary astrophysics and cosmology. As a fundamental component of the universe, dark matter influences the formation and evolution of cosmic structures, yet its elusive nature continues to perplex scientists. This comprehensive review has traversed the intricate landscape of dark matter research, synthesizing theoretical frameworks, observational evidence, and experimental pursuits that collectively contribute to our understanding of this enigmatic substance. In this conclusion, we will reflect on the key findings, the implications of current research, the challenges that lie ahead, and the future directions that may illuminate the path toward unraveling the mysteries of dark matter.

Key findings and implications

The exploration of dark matter has revealed a wealth of information that underscores its critical role in the universe. Theoretical models, ranging from Weakly Interacting Massive Particles (WIMPs) to more exotic candidates such as axions and sterile neutrinos, have provided a framework for understanding the potential nature of dark matter. Each of these candidates offers unique insights into the fundamental forces and particles that govern the universe. For instance, WIMPs, predicted by various extensions of the Standard Model, remain a leading candidate due to their potential to explain the observed mass discrepancies in galaxies and galaxy clusters. However, the lack of direct detection thus far raises questions about their viability, prompting researchers to explore alternative candidates.

Observational evidence has been pivotal in supporting the existence of dark matter. The analysis of galactic rotation curves has consistently shown that the mass distribution within galaxies cannot be explained solely by visible matter. Instead, the flat rotation curves observed at large distances from galactic centers suggest the presence of substantial dark matter halos. Gravitational lensing studies further corroborate this notion, revealing how light from distant galaxies is bent by the gravitational influence of unseen mass concentrations. The cosmic microwave background (CMB) measurements have also provided critical insights, indicating that dark matter constitutes a significant fraction of the universe's total mass-energy density. These observations collectively paint a compelling picture of dark matter's existence and its influence on cosmic evolution.

Challenges ahead

Despite the progress made in dark matter research, several challenges remain. One of the most pressing issues is the lack of direct detection of dark matter particles. Numerous experiments have been conducted, employing sophisticated technologies to search for rare interactions between dark matter and ordinary matter. However, the absence of conclusive results has led to a reevaluation of existing models and the exploration of new theoretical frameworks. The sensitivity of detection experiments must continue to improve, and innovative approaches, such as utilizing advanced materials and techniques, will be essential in the search for dark matter.

Moreover, the theoretical landscape of dark matter is vast and complex, with numerous candidates and models competing for attention. The interplay between theory and experiment is crucial, as theoretical predictions must be tested against observational data. This necessitates a collaborative approach, where physicists, astronomers, and experimentalists work together to refine models and design experiments that can effectively probe the nature of dark matter. The emergence of new paradigms, such as self-interacting dark matter (SIDM) and axion-like particles (ALPs), highlights the need for an open-minded approach to exploring the unknown.

Future directions

Looking ahead, several promising directions for dark matter research can be identified. First, the integration of multi-messenger astronomy, which combines observations across different wavelengths and particle types, holds great potential for uncovering the nature of dark matter. By correlating signals from gamma-ray observatories, neutrino detectors, and gravitational wave observatories, researchers can gain a more comprehensive understanding of dark matter interactions and its role in cosmic events.

Second, advancements in computational astrophysics and simulations will continue to play a crucial role in dark matter research. High-resolution simulations of cosmic structure formation can provide insights into the distribution and behavior of dark matter on various scales. These simulations can be compared with observational data to refine models and constrain the properties of dark matter candidates.

Third, the development of next-generation particle colliders, such as the proposed International Linear Collider (ILC), presents an exciting opportunity to explore dark matter candidates directly. By colliding particles at unprecedented energies, researchers may be able to produce dark matter particles and study their properties in detail. This experimental approach could provide critical insights into the fundamental nature of dark matter and its interactions with ordinary matter.

Finally, interdisciplinary collaborations will be essential for advancing dark matter research. The complexities of dark matter require expertise from various fields, including particle physics, astrophysics, cosmology, and even fields like computer science and engineering. By fostering collaborations across disciplines, researchers can leverage diverse perspectives and methodologies to tackle the challenges posed by dark matter.

In conclusion, the study of dark matter is a multifaceted endeavor that encompasses theoretical, observational, and experimental dimensions. As we continue to explore the mysteries of dark matter, it is essential to remain open to

new ideas and approaches. The interplay between theory and experiment will be crucial in guiding the search for dark matter, and the integration of diverse methodologies will enhance our understanding of this elusive component of the universe. The journey to unveil the nature of dark matter is not only a quest for knowledge but also a profound exploration of the fundamental principles that govern the cosmos. As we stand on the brink of new discoveries, the future of dark matter research holds the promise of illuminating one of the universe's most profound mysteries, ultimately enriching our understanding of the cosmos and our place within it.

As the understanding of dark matter continues to evolve, interdisciplinary collaborations and innovative approaches are essential for making breakthroughs in this field. This comprehensive review provides a synthesis of current research, theoretical frameworks, observational evidence, and experimental pursuits, highlighting the multifaceted nature of the quest to understand dark matter.

Abbreviations

ALP - Axion-Like Particle
 CMB - Cosmic Microwave Background
 CDM - Cold Dark Matter
 DAMA - Dark Matter WIMP Search (DAMA/LIBRA)
 Fermi-LAT - Fermi Large Area Telescope
 GAMMA - Gamma-ray Astronomy
 LHC - Large Hadron Collider
 ILC - International Linear Collider
 PBH - Primordial Black Hole
 SIDM - Self-Interacting Dark Matter

Author Contributions

Diriba Gonfa Tolasa is the sole author. Editing manuscript writing original draft, software formal investigation, analyzing.

Funding

This work is not supported by any external funding.

Data Availability Statement

The data availability is in the manuscript content.

Conflicts of Interest

The author declares no conflicts of interest

References

1. Jungman G, Kamionkowski M, Griest K. Supersymmetric dark matter. *Physics Reports* 1996;267(5-6):195-373.
2. Steigman G, Fields BD, Olive KA. Cosmology of the early universe. In *Particle Physics, Astrophysics and Cosmology* 2007:367-442.
3. Preskill J, Wise MB, Wilczek F. Cosmology of the invisible axion. *Physics Letters B* 1983;120(1-3):127-132.
4. Marsh DJ. Axion cosmology. *Physics Reports* 2016;643:1-79.
5. Dolgov AD. Sterile neutrinos in cosmology. *Physics Reports* 2002;370(4-5):333-535.
6. Boyarsky A, Ruchayskiy O, Shaposhnikov M. The role of sterile neutrinos in cosmology and astrophysics. *Annual Review of Nuclear and Particle Science* 2009;59:191-214.

7. Carr BJ. Primordial black holes as dark matter. *Physics Reports* 1998;307(1-4):141-223.
8. Bird S. Did LIGO detect dark matter? *Physical Review Letters* 2016;116(20):201301.
9. Rubin VC, Ford Jr WK. Rotation of the Andromeda Nebula from a Spectroscopic Survey of Emission Regions. *The Astrophysical J* 1970;159:379.
10. Bosma A. The distribution and kinematics of neutral hydrogen in spiral galaxies of various morphological types. PhD thesis, Rijksuniversiteit Groningen 1978.
11. Einstein A. Lens-like action of a star by the deviation of light in the gravitational field. *Science* 1936;84(2188):506-507.
12. Bartelmann M, Schneider P. Weak gravitational lensing. *Physics Reports* 2001;340(4-5):291-472.
13. Planck Collaboration. Planck 2018 results. VI. Cosmological parameters. *Astronomy & Astrophysics* 2018;641.
14. Hu W, Dodelson S. Cosmic microwave background anisotropies. *Annual Review of Astronomy and Astrophysics* 2002;40:171-216.
15. Davis M. Evolution of large-scale structure in a universe dominated by cold dark matter. *The Astrophysical J* 1985;292:371-394.
16. Springel V. Simulations of the formation, evolution and clustering of galaxies and quasars. *Nature* 2005;435(7042):629-636.
17. Zwicky F. Die Rotverschiebung von extragalaktischen Nebeln. *Helvetica Physica Acta* 1933;6:110-127.
18. Clowe D. A direct empirical proof of the existence of dark matter. *Astrophysical J Letters* 2006;648(2):109-113.
19. Ahmed Z. Results from a low-energy analysis of the CDMS II germanium data. *Physical Review Letters* 2010;106(13):131302.
20. Aprile E. Physics reach of the XENON1T dark matter experiment. *Journal of Cosmology and Astro particle Physics* 2016;2016(04):27.
21. Ackermann M. Searching for dark matter annihilation from Milky Way dwarf spheroidal galaxies with six years of Fermi Large Area Telescope data. *Physical Review Letters* 2015;115(23):231301.
22. Aartsen MG. Neutrino emission from the direction of the blazar TXS 0506+056 prior to the IceCube-170922A alert. *Science* 2018;361(6398):147-151.
23. Aad G. Search for dark matter in events with a Z boson and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. *Journal of High Energy Physics* 2015;2015(10):1-39.
24. Baer H. The International Linear Collider Technical Design Report-Volume 2 Physics 2013;2.
25. Fukuda Y. Evidence for oscillation of atmospheric neutrinos. *Physical Review Letters* 1998;81(8):1562.
26. Ahmad QR. Direct evidence for neutrino flavor transformation from neutral-current interactions in the Sudbury Neutrino Observatory. *Physical Review Letters* 2002;89(1):011301.
27. Bennett CL. First-year Wilkinson Microwave Anisotropy Probe (WMAP) observations Preliminary maps and basic results. *The Astrophysical J Supplement Series* 2003;148(1):1.
28. Planck Collaboration. Planck 2015 results. XIII. Cosmological parameters. *Astronomy Astrophysics* 2016;594:13.
29. Spergel DN, Steinhardt PJ. Observational evidence for self-interacting cold dark matter. *Physical Review Letters* 2000;84(17):3760.
30. Vogelsberger M. A model for cosmological simulations of galaxy formation physics. *Monthly Notices of the Royal Astronomical Society* 2012;425(4):3024-3057.
31. Springel V. The Aquarius Project the subhalos of galactic halos. *Monthly Notices of the Royal Astronomical Society* 2008;391(4):1685-1711.
32. Erkal D, Belokurov V. Streams and caustics the fine-grained structure of Λ CDM haloes. *Monthly Notices of the Royal Astronomical Society* 2015;454(4):3542-3554.
33. Sikivie P. Experimental tests of the "invisible" axion. *Physical Review Letters* 1983;51(16):1415.
34. Jaeckel J, Ringwald A. The low-energy frontier of particle physics. *Annual Review of Nuclear and Particle Science* 2010;60:405-437.
35. Essig R. Dark sectors and new, light, weakly-coupled particles. *J High Energy Physics* 2013:46.
36. Carr BJ, Kühnel F. Primordial black holes as dark matter. *Annual Review of Nuclear and Particle Science* 2020;70:355-378.